


Dipstick Table from Envirotank



E65 (2.5m)

Nominal total volume:	65,000 litres	Tank diameter (inner):	2500 mm
Calculated total volume:	65581 litres	Inside overall length:	13800 mm
		Cylinder length:	12527 mm
Slope:	0 °	Reinforcement pad thickness:	0 mm
		Distance from dipstick connection to lower end of cylinder:	100 mm

0 mm	0 litres	455 mm	8000 litres	737 mm	16000 litres
38	200	463	8200	744	16200
61	400	470	8400	750	16400
80	600	478	8600	757	16600
96	800	486	8800	763	16800
112	1000	493	9000	770	17000
126	1200	501	9200	776	17200
140	1400	508	9400	782	17400
153	1600	516	9600	789	17600
166	1800	523	9800	795	17800
178	2000	530	10000	802	18000
190	2200	538	10200	808	18200
201	2400	545	10400	814	18400
212	2600	552	10600	821	18600
223	2800	559	10800	827	18800
234	3000	567	11000	833	19000
244	3200	574	11200	840	19200
254	3400	581	11400	846	19400
264	3600	588	11600	852	19600
274	3800	595	11800	858	19800
284	4000	602	12000	865	20000
293	4200	609	12200	871	20200
303	4400	616	12400	877	20400
312	4600	623	12600	883	20600
321	4800	630	12800	890	20800
330	5000	637	13000	896	21000
339	5200	644	13200	902	21200
348	5400	650	13400	908	21400
356	5600	657	13600	914	21600
365	5800	664	13800	920	21800
373	6000	671	14000	927	22000
382	6200	677	14200	933	22200
390	6400	684	14400	939	22400
399	6600	691	14600	945	22600
407	6800	697	14800	951	22800
415	7000	704	15000	957	23000
423	7200	711	15200	963	23200
431	7400	717	15400	969	23400
439	7600	724	15600	976	23600
447	7800	731	15800	982	23800
988 mm	24000 litres	1286 mm	34000 litres	1586 mm	44000 litres
994	24200	1292	34200	1592	44200
1000	24400	1298	34400	1599	44400
1006	24600	1304	34600	1605	44600
1012	24800	1310	34800	1611	44800
1018	25000	1315	35000	1617	45000




Dipstick Table from Envirotank



E65 (2.5m)

1024	25200	1321	35200	1623	45200
1030	25400	1327	35400	1630	45400
1036	25600	1333	35600	1636	45600
1042	25800	1339	35800	1642	45800
1048	26000	1345	36000	1648	46000
1054	26200	1351	36200	1655	46200
1060	26400	1357	36400	1661	46400
1066	26600	1363	36600	1667	46600
1072	26800	1369	36800	1674	46800
1078	27000	1375	37000	1680	47000
1084	27200	1381	37200	1686	47200
1090	27400	1387	37400	1693	47400
1096	27600	1393	37600	1699	47600
1102	27800	1399	37800	1705	47800
1108	28000	1405	38000	1712	48000
1114	28200	1411	38200	1718	48200
1120	28400	1417	38400	1725	48400
1126	28600	1423	38600	1731	48600
1132	28800	1429	38800	1738	48800
1138	29000	1435	39000	1744	49000
1144	29200	1441	39200	1750	49200
1150	29400	1446	39400	1757	49400
1155	29600	1453	39600	1764	49600
1161	29800	1459	39800	1770	49800
1167	30000	1465	40000	1777	50000
1173	30200	1471	40200	1783	50200
1179	30400	1477	40400	1790	50400
1185	30600	1483	40600	1796	50600
1191	30800	1489	40800	1803	50800
1197	31000	1495	41000	1810	51000
1203	31200	1501	41200	1816	51200
1209	31400	1507	41400	1823	51400
1215	31600	1513	41600	1830	51600
1221	31800	1519	41800	1837	51800
1227	32000	1525	42000	1843	52000
1232	32200	1531	42200	1850	52200
1238	32400	1537	42400	1857	52400
1244	32600	1543	42600	1864	52600
1250	32800	1549	42800	1871	52800
1256	33000	1555	43000	1878	53000
1262	33200	1562	43200	1885	53200
1268	33400	1568	43400	1892	53400
1274	33600	1574	43600	1899	53600
1280	33800	1580	43800	1906	53800
1913 mm	54000 litres	2348 mm	64000 litres		
1920	54200	2361	64200		
1927	54400	2375	64400		
1934	54600	2389	64600		
1941	54800	2405	64800		
1948	55000	2422	65000		
1956	55200	2441	65200		
1963	55400	2464	65400		
1970	55600				
1978	55800				
1985	56000				



Dipstick Table from Envirotank



E65 (2.5m)

1992	56200		
2000	56400		
2008	56600		
2015	56800		
2023	57000		
2030	57200		
2038	57400		
2046	57600		
2054	57800		
2062	58000		
2070	58200		
2078	58400		
2086	58600		
2094	58800		
2102	59000		
2110	59200		
2119	59400		
2127	59600		
2136	59800		
2144	60000		
2153	60200		
2162	60400		
2171	60600		
2180	60800		
2189	61000		
2198	61200		
2208	61400		
2217	61600		
2227	61800		
2237	62000		
2247	62200 SFL		
2257	62400		
2267	62600		
2278	62800		
2289	63000		
2300	63200		
2311	63400		
2323	63600		
2335	63800		